

Насаден клуч 1/4", долг шестоаголен


188/2L6p



Profiles



[\(/mk/about-](#)



[us/materials\).](#)


[\(/mk/support/waranty\).](#)




Product features




- материјал: специјален флекс хром ванадиум челик
- кован, целосно појачан
- завршна површина: хромирана според ISO 1456:2009
- изработен според стандард ISO 2725-1 (само метричка димензија)


Standards

ISO 2725-1





|  |  | L | D1 | D2 | T |  |
|--|---|----|-----|------|---|---|
| 618697 | 3.2 | 50 | 6 | 12 | 8 | 20 |
| 616881 | 4 | 50 | 6.8 | 11.9 | 5 | 20 |
| 616882 | 4.5 | 50 | 7.1 | 11.9 | 5 | 20 |


|  |  | L | D1 | D2 | T |  | |
|---|--|----|------|------|----|--|---|
| 616883 | 5 | 50 | 8 | 11.9 | 5 | 20 | |
| 616884 | 5.5 | 50 | 8.3 | 11.9 | 5 | 20 | |
| 616885 | 6 | 50 | 9.3 | 11.9 | 8 | 20 | |
| 616886 | 7 | 50 | 10.5 | 11.9 | 8 | 31 | |
| 616887 | 8 | 50 | 11.9 | 11.9 | 8 | 71 | |
| 616888 | 9 | 50 | 13,1 | 13.1 | 11 | 71 | |
| 616889 | 10 | 50 | 14,5 | 14.5 | 11 | 71 | |
| 616890 | 11 | 50 | 15,8 | 15.8 | 11 | 71 | |
| 616891 | 12 | 50 | 16,8 | 16.8 | 13 | 71 | |
| 616892 | 13 | 50 | 17,8 | 17.8 | 13 | 71 | |
| 616893 | 14 | 50 | 19,6 | 19.6 | 16 | 71 | |
| 616894 | 3/16" | 50 | 8 | 11.9 | 5 | 20 | 1 |
| 616897 | 9/32" | 50 | 10.5 | 11.9 | 5 | 71 | 1 |
| 616898 | 5/16" | 50 | 10.5 | 11.9 | 5 | 71 | 1 |
| 616899 | 11/32" | 50 | 10.5 | 12.9 | 5 | 71 | 1 |
| 616900 | 3/8" | 50 | 10.5 | 13.9 | 8 | 71 | 1 |
| 616902 | 7/16" | 50 | 10.5 | 15.8 | 8 | 71 | 1 |
| 616903 | 1/2" | 50 | 10.5 | 17.8 | 10 | 71 | 1 |
| 616904 | 9/16" | 50 | 10.5 | 19.6 | 10 | 71 | 1 |



Retail packaging




|  | MA | MB | MC |  |
|--|-----|----|----|---|
| 618697 | 115 | 44 | 23 | 25 |
| 616881 | 115 | 44 | 23 | 25 |
| 616882 | 115 | 44 | 23 | 25 |

| Barcode | MA | MB | MC | Height |
|---------|-----|----|------|--------|
| 616883 | 115 | 44 | 23 | 25 |
| 616884 | 115 | 44 | 23 | 25 |
| 616885 | 115 | 44 | 23 | 25 |
| 616886 | 120 | 44 | 23 | 76 |
| 616887 | 120 | 44 | 23 | 76 |
| 616888 | 120 | 44 | 23 | 76 |
| 616889 | 120 | 44 | 23 | 76 |
| 616890 | 120 | 44 | 23,9 | 76 |
| 616891 | 120 | 44 | 24,4 | 76 |
| 616892 | 120 | 44 | 24,9 | 76 |
| 616893 | 120 | 44 | 25,8 | 76 |
| 616894 | 115 | 44 | 23 | 25 |
| 616897 | 120 | 44 | 23 | 76 |
| 616898 | 120 | 44 | 23 | 76 |
| 616899 | 120 | 44 | 23 | 76 |
| 616900 | 120 | 44 | 23 | 76 |
| 616902 | 120 | 44 | 23,9 | 76 |
| 616903 | 120 | 44 | 24,9 | 76 |
| 616904 | 120 | 44 | 25,8 | 76 |



Transport packaging

| Barcode | Hand icon | TA | TB | TC | Height |
|---------|-----------|----|-----|----|--------|
| 618697 | 4 | 93 | 144 | 57 | 225 |
| 616881 | 4 | 93 | 144 | 57 | 225 |
| 616882 | 4 | 93 | 144 | 57 | 225 |
| 616883 | 4 | 93 | 144 | 57 | 225 |
| 616884 | 4 | 93 | 144 | 57 | 225 |
| 616885 | 4 | 93 | 144 | 57 | 225 |

|  |  | TA | TB | TC |  |
|--|---|----|-----|----|---|
| 616886 | 4 | 93 | 144 | 57 | 429 |
| 616887 | 4 | 93 | 144 | 57 | 429 |
| 616888 | 4 | 93 | 144 | 57 | 429 |
| 616889 | 4 | 93 | 144 | 57 | 429 |
| 616890 | 4 | 93 | 144 | 57 | 429 |
| 616891 | 4 | 93 | 144 | 57 | 429 |
| 616892 | 4 | 93 | 144 | 57 | 429 |
| 616893 | 4 | 93 | 144 | 57 | 429 |
| 616894 | 4 | 93 | 144 | 57 | 225 |
| 616897 | 4 | 93 | 144 | 57 | 429 |
| 616898 | 4 | 93 | 144 | 57 | 429 |
| 616899 | 4 | 93 | 144 | 57 | 429 |
| 616900 | 4 | 93 | 144 | 57 | 429 |
| 616902 | 4 | 93 | 144 | 57 | 429 |
| 616903 | 4 | 93 | 144 | 57 | 429 |
| 616904 | 4 | 93 | 144 | 57 | 429 |