

# Llave ajustable

250/1



## Empleo



## Perfiles

**Premium** [\(/es/about-](#)


[us/materials\)](#)  [\(/es/support/warranty\).](#)





## Características del producto





- Material: cromo vanadio
- forjada, templada y revenida
- cromada
- cabezas pulidas
- con escala
- fabricada totalmente de acuerdo con ISO 6787


## Normas

ISO 6787






		L	A		
611917	100	110	9.8	17	61
611918	150	155.5	11.5	23	133
601016	200	205	12,6	28	243

		L	A		
601017	250	254	16	32	439
601018	300	305	19	38	702
601019	380	380	25	50	1315
605113	450	458	26.3	60	1730
615148	600	610	30	70	3240






### Empaquetado para venta al público

	MA	MB	MC	
611917	160	44	11,6	68
611918	205	51,4	13	140
601016	265	60	14,1	256
601017	305	72	18,5	452
601018	83	305	19	707
601019	110	380	25,5	1320
605113	123	458	26,3	1735
615148	143	610	30	3245



### Embalaje para el transporte

		TA	TB	TC	
611917	4	54	183	49	347
611918	4	90	197	41	635
601016	4	75	308	60	1099
601017	4	84	318	63	1883



TA

TB

TC



601018

1

601019

1

605113

1

615148

1

## Piezas de repuesto



Juego de repuestos para art. 250, 250 A