

# Celes Imbuse gjashtëkëndësh

220/3



## Profiles



**Premium**

[\(/al/about-](#)

[us/materials\).](#)




[\(/al/support/warranty\).](#)




## Product features

- Materiali: krom vanadium
- krejtësisht të thekur me te zbutura
- përfundojë sipërfaqe: nikel kromuar
- bërë sipas standardit ISO 2936 (vetëm dimensionin metrikë)

## Standards


ISO 2936



		L1	L2	
607823	1.5	46.5	15.5	2.8
607824	2	52	18	1.72
607825	2.5	58.5	20.5	3
601036	3	66	23	5




		L1	L2	
601037	4	74	29	9.85
601038	5	85	33	18
601040	6	96	38	35
601041	7	102	41	47
601042	8	108	44	65
601044	10	122	50	108
601045	12	137	57	163
601046	14	154	70	258
601047	17	177	80	433
601048	19	199	89	603
616967	3/64"	41	13	5
616966	1/20"	41	13	5
611905	1/16"	47	16	5



### Retail packaging

	MA	MB	MC	
607823	120	44	8,2	10
607824	125	44	8,2	11
607825	130	44	8,2	12
601036	135	44	8,2	15
601037	145	44	8,2	20
601038	160	44	20	28
601040	165	50	20	40
601041	170	50	20	52
601042	170	55	20	70

Barcode	MA	MB	MC	Icon
601044	180	60	20	113
601045	210	70	23	170
601046	220	75	25	265
601047	240	90	20	440
601048	260	100	22	610
616967	120	44	8,2	10
616966	120	44	8,2	10
611905	120	44	8,2	10



## Transport packaging

Barcode	Icon	TA	TB	TC	Icon
607823	4	62	192	33	38
607824	4	62	192	33	38
607825	4	62	192	33	38
601036	4	62	192	33	38
601037	4	62	192	33	38
601038	4	60	222	44	237
601040	4	60	222	44	285
601041	4	60	222	44	333
601042	4	90	197	41	405
601044	4	90	197	41	577
601045	4	99	218	45	805
601046	4	95	240	64	1185
601047	1				
601048	1				
616967	4	62	192	33	165
616966	4	62	192	33	165
611905	4	62	192	33	165

