

单开口扳手

117/4



配置文件


Premium 

产品属性

- 材料：铬钒钢
- 落锻，完全淬火与回火
- 表面处理：根据DIN12476标准进行磷酸盐处理
- 根据DIN894标准生产

用途：

- 机器、发动机和其他设备加工行业。
- 大尺寸适用于造船业、石油业和其他需要使用较大机器和设备的重型工业。
- 此扳手特别适合需要高扭力和更多杠杆作用的难触及区域的作业。



615262



10

L

104

A




4.5

B

22



21

		L	A	B	
620207	12	123	5	26	29
615263	13	132	5.4	28	35
615264	17	157	6,5	36	68
615265	19	170	6.9	40	78
615267	22	195	7.9	46	106
615268	24	218	9,2	50	147
615269	27	240	9.7	56	192
615270	30	267	11,1	63	297
615271	32	267	11.7	66	297
615272	34	295	12,5	74	399
615273	36	295	12.5	74	438
615274	38	295	12.5	74	390
615275	41	335	13.5	84	537
615276	46	365	14.5	94	747
615277	50	400	15.5	102	890
615278	55	475	16	110	1170
615279	60	475	17	120	1365
615280	65	550	18	130	1665
615281	70	550	19	140	1995
615282	75	620	20	150	2995
615283	80	665	21	160	3895
615285	90	740	23	190	4795

* Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

用途 (pictures)



Safety (pictures)

