

Насаден клуч со приклучок од 3/8"

238/1 6p



Profiles



Premium Flex

[\(/mk/about-](#)

[us/materials\).](#)




[\(/mk/support/warranty\).](#)

Product features

- материјал: специјален флекс хром ванадиум челик
- кован, целосно појачан и кален
- хромиран според EN 12540
- полиран
- изработен според стандард ISO 2725-1 (само метричка димензија)

Standards

ISO 2725-1






L


D1

D2



T




		L	D1	D2	T↑	
605322	6	28	10,2	16.9	8	28
605323	7	28	10.6	16.9	8	28
605324	8	28	11.8	16.9	8	28
605325	9	28	13.2	16.9	8	29
605326	10	28	14.5	16.9	8	29
605327	11	28	15.7	16.9	8	30
605328	12	28	16.9	16.9	8	31
605329	13	28	17.9	17.9	8	35
605330	14	28	19.7	19.7	12	41
605331	15	28	20,9	20,9	12	44
605332	16	30	21.9	21.9	12	52
605333	17	30	23.5	23.5	12	57
605334	18	30	24.7	21	12	57
605335	19	30	25.9	23	14	59
605336	20	32	27.2	24	14	73
605337	21	32	27.9	25	14	73
605338	22	32	29.7	26	14	88



Retail packaging




	MA	MB	MC	
605322	100	44	34	33
605323	100	44	34	33
605324	100	44	34	33
605325	100	44	34	34
605326	100	44	34	34

Barcode	MA	MB	MC	Height
605327	100	44	34	35
605328	100	44	34	36
605329	100	44	34	40
605330	100	44	34	46
605331	100	44	34	49
605332	100	44	34	57
605333	100	44	34	62
605334	100	44	34	62
605335	100	44	34	64
605336	100	44	34	78
605337	100	44	34,9	78
605338	100	44	35,75	93



Transport packaging

Barcode	Quantity	TA	TB	TC	Height
605322	4	83	131	55	257
605323	4	83	131	55	257
605324	4	83	131	55	257
605325	4	83	131	55	261
605326	4	83	131	55	261
605327	4	83	131	55	265
605328	4	83	131	55	269
605329	4	83	131	55	285
605330	4	83	131	55	309
605331	4	93	144	57	321
605332	4	93	144	57	353
605333	4	93	144	57	373
605334	4	93	144	57	373

		TA	TB	TC	
605335	4	93	144	57	381
605336	4	93	144	57	437
605337	4	93	144	57	437
605338	4	93	144	57	497