

Socket 3/8", long type, 6 point

238/1L6p



Profiles



Premium Flex

[\(/ar/about-](#)

[us/materials\).](#)




[\(/ar/support/warranty\).](#)




Product features




- material: premium flex chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to ISO 1456:2009
- polished
- made according to standard ISO 2725-1 (only metric dimension)


Standards

ISO 2725 - 1





		L	D1	D2	T↑	
612036	8	63	11.8	16.8	9	55
612037	9	63	13.2	16.8	9	58
612038	10	63	14.5	16.8	9	61


		L	D1	D2	T↑	
612039	11	63	15.7	16.8	12	67
612040	12	63	16.8	16	12	75
612041	13	63	17.8	16.5	12	81
612042	14	63	19.55	17	15	91
612043	15	63	20.75	18	15	117
612044	16	63	21.75	19	15	107
612045	17	63	23.3	20	15	128
612046	18	63	24.5	21	18	112
612047	19	63	25.7	23	18	147
612048	20	63	27	24	18	157
612049	21	63	27.7	25	18	165
612050	22	63	29.5	26	21	200



Retail packaging

	MA	MB	MC	
612036	130	44	34	60
612037	130	44	34	63
612038	130	44	34	66
612039	130	44	34	72
612040	130	44	34	80
612041	130	44	34	86
612042	130	44	34	96
612043	130	44	34	122
612044	130	44	34	112
612045	130	44	34	133

Barcode	MA	MB	MC	Weight
612046	130	44	34	117
612047	130	44	34	152
612048	130	44	34	162
612049	130	44	34,85	170
612050	130	44	35,75	205



Transport packaging

Barcode	Hand icon	TA	TB	TC	Weight
612036	4	81	205	58	365
612037	4	81	205	58	377
612038	4	81	205	58	389
612039	4	81	205	58	413
612040	4	81	205	58	445
612041	4	81	205	58	469
612042	4	81	205	58	509
612043	4	81	205	58	613
612044	4	81	205	58	573
612045	4	81	205	58	657
612046	4	81	205	58	593
612047	4	81	205	58	733
612048	4	81	205	58	773
612049	4	81	205	58	805
612050	4	81	205	58	945