

# Ključ nasadni, prihvat 1/2"

190/1 6p



## Profili

---




## Standardi





---






ISO 2725-1

## Atributi proizvoda

- materijal: krom-molibden
- kovan, u cijelosti ojačan i zakaljen
- kromiran (ISO 1456:2009)
- poliran
- izrađeni prema standardu ISO 2725-1 (samo metričke dimenzije)
- izrađen prema DIN 3124 standardu



|  |  | L  | D1   | D2   | T↑ |  |  |
|--|---|----|------|------|----|---|---|
| 605307   | 8   | 38 | 13.2 | 22.9 | 12 | 55  |   |
| 610155   | 9   | 38 | 13.9 | 22.9 | 12 | 55  |   |
| 600851   | 10  | 38 | 15   | 22.9 | 12 | 45  |   |
| 600852   | 11  | 38 | 16.3 | 22.9 | 12 | 49  |   |
| 600853   | 12  | 38 | 17.9 | 22.9 | 12 | 49  |   |
| 600854   | 13  | 38 | 18.8 | 22.9 | 12 | 50  |   |
| 600855   | 14  | 38 | 19.7 | 22.9 | 12 | 53  |   |
| 600856   | 15  | 38 | 20.4 | 22.9 | 12 | 58  |   |
| 600857   | 16  | 38 | 22.9 | 21.5 | 12 | 57  |   |
| 600858   | 17  | 38 | 24.3 | 22   | 12 | 62  |   |
| 600859   | 18  | 38 | 25.5 | 23   | 12 | 70  |   |
| 600860   | 19  | 38 | 26.8 | 24   | 14 | 63  |   |
| 600861   | 20  | 38 | 28.1 | 24   | 14 | 76  |   |
| 600862   | 21  | 38 | 29.3 | 25   | 14 | 95  |   |
| 600863   | 22  | 38 | 30.4 | 25   | 14 | 95  |   |
| 600864   | 23  | 40 | 31.7 | 26   | 14 | 114   |   |
| 600865   | 24  | 42 | 33.1 | 28   | 16 | 165   |   |
| 600866   | 25  | 42 | 34.2 | 29   | 16 | 126   |   |
| 600867   | 26  | 42 | 35.3 | 30   | 16 | 147   |   |
| 600868   | 27  | 43 | 37   | 30   | 18 | 150   |   |
| 600869   | 28  | 43 | 38   | 31   | 20 | 177   |   |
| 600871   | 30  | 46 | 40.7 | 34   | 22 | 210   |   |
| 600872   | 32  | 46 | 43.2 | 36   | 22 | 222   |   |
| 610105   | 5/16"   | 38 | 13.2 | 21.8 | 12 | 55  |   |
| 610106   | 3/8"  | 38 | 15   | 22.9 | 12 | 55  |   |
| 610107   | 7/16"   | 38 | 16.3 | 21.8 | 12 | 55  |   |

|  |  | L  | D1    | D2   |  |  |  |
|---|--|----|-------|------|--|--|--|
| 610108  | 1/2"   | 38 | 18.8  | 22.9 | 12   | 65   |  |
| 610109  | 9/16"  | 38 | 20.4  | 22.9 | 12   | 65   |  |
| 610111  | 11/16"   | 38 | 25.5  | 23   | 12   | 95   |  |
| 610112  | 3/4"   | 38 | 26.8  | 24   | 14   | 105  |  |
| 610114  | 7/8"   | 40 | 29.85 | 26   | 14   | 142  |  |
| 610115  | 15/16"   | 42 | 33.1  | 28   | 16   | 165  |  |
| 610118  | 1.1/8"   | 43 | 39    | 32   | 20   | 185  |  |
| 610119  | 1.3/16"  | 46 | 40.7  | 34   | 22   | 237  |  |

\* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

## Frequently asked questions

**I attached the socket wrench to the pneumatic tool and the wall cracked. What could be wrong?**

When working with pneumatic screwdrivers, you must use an impact socket wrench.