

ZX (XZN) csavarhúzófej, 1/2"

192/2ZX



Profilok



Premium Flex

[\(/hu/about-](#)

Premium +

[us/materials\).](#)




[\(/hu/about-us/materials\).](#)

[\(/hu/support/waranty\).](#)

Termékjellemzők

- anyaga: fej Premium Flex króm-vanádium acélból
- anyaga: behajtóhegy Premium Plus szénacélból
- teljes anyagában nemesített



D

L

L1



612165

M 5

22.9

52

16

72

612166



M 6


22.9

52



16


70

		D	L	L1	
612167	M 8	22.9	52	16	80
612168	M 10	22.9	57	21	84
612169	M 12	22.9	57	21	90
612170	M 14	22.9	57	21	97
620257	M 16	22.9	57	21	155








Kiskereskedelmi csomagolás

	MA	MB	MC	
612165	125	44	43	77
612166	125	44	43	75
612167	120	44	44	85
612168	125	44	43	89
612169	125	44	43	95
612170	125	44	43	102
620257	125	44	43	160



Szállítási csomagolás

		TA	TB	TC	
612165	4	94	150	59	433
612166	4	94	150	59	425
612167	4	94	150	59	465
612168	4	94	150	59	481
612169	4	94	150	59	505

		TA	TB	TC	
612170	4	94	150	59	533
620257	4	94	150	59	765