

# Impact hex socket 1/2"

231/4AHX



## Profiles




[\(/ar/about-us/materials\)](#)



[\(/ar/support/waranty\)](#)

## Product features


- material: premium flex chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: phosphated to standard ISO 9717



Barcode	Hex Size	D	L	L1	Weight
615218	5	25	75	15	85
615219	6	25	75	15	93
615220	8	25	75	25	95
615221	10	25	75	25	114
615222	12	25	75	25	130
615223	14	25	75	25	148
615224	17	25	75	25	183




615225	19	25	75	25	207	
618753	5/16"	25	75	25	100	1






### Retail packaging

Barcode	MA	MB	MC	Height
615218	145	44	43	90
615219	145	44	43	98
615220	145	44	43	100
615221	145	44	43	119
615222	145	44	43	135
615223	145	44	43	153
615224	145	44	43	188
615225	145	44	43	212
618753	145	44	43	105



### Transport packaging

Barcode	Hand icon	TA	TB	TC	Height
615218	4	86	220	61	485
615219	4	86	220	61	517
615220	4	86	220	61	525
615221	4	86	220	61	601
615222	4	86	220	61	665
615223	4	95	240	64	737

		TA	TB	TC	
615224	4	95	240	64	877
615225	4	95	240	64	973
618753	4	86	220	61	545