

Насаден клуч од 3/4", 12 аголен

197/1 12p



Profiles



[\(/mk/about-](#)


[us/materials\).](#)



[\(/mk/support/waranty\).](#)

Product features

- материјал: специјален флекс хром ванадиум челик
- кован, целосно појачан и кален
- хромиран според ISO 1456:2009
- полиран
- изработен според стандард ISO 2725-1 (само метричка димензија)



618666



22

D1

32.2

D2

36

L




50


T

14





215


		D1	D2	L	T	
618667	23	33.2	36	50	14	216
618668	24	34.2	36	51	16	224
618669	26	37	36	52	16	220
618670	27	38	36	52	22	224
618671	28	39.5	36	52	22	234
619703	29	40,5	36	52	22	258
618672	30	42	36	54	24	254
618673	32	44	36	56	26	282
618674	34	47	36	56	26	329
618675	36	50	38	58	28	372
618676	38	52	38	60	28	473
618677	41	56	40	64	30	487
618678	46	62	42	66	32	566
618679	50	68	42	70	34	683
618680	55	74	45	76	38	828
618681	60	80	45	78	42	993



Retail packaging




	MA	MB	MC	
618666	162	58	36	230
618667	162	58	36	230
618668	163	58	36	240
618669	162	58	37	235
618670	162	58	37,8	240
618671	162	58	39,5	250

Barcode	MA	MB	MC	Weight
619703	162	58	40,6	270
618672	165	58	42	270
618673	167	58	44,1	300
618674	167	58	47,2	345
618675	167	58	50	385
618676	170	58	52,1	485
618677	173	58	56,1	500
618678	180	62	62	580
618679	184	68	68	695
618680	190	74	74	840
618681	190	80	80	1010



Transport packaging

Barcode	Quantity	TA	TB	TC	Weight
618666	1	65	185	46	280
618667	1	65	185	46	280
618668	1	65	185	46	290
618669	1	65	185	46	285
618670	1	65	185	46	290
618671	1	65	185	46	300
619703	1	65	185	46	320
618672	1	70	191	55	330
618673	1	70	191	55	360
618674	1	70	191	55	405
618675	1	70	191	55	445
618676	1	80	200	63	560
618677	1	80	200	63	575
618678	1	86	205	69	665

		TA	TB	TC	
618679	1	95	210	75	795
618680	1	100	215	85	952
618681	1	100	215	85	1122