

# Diagonal-Kraftseitenschneider

466/1VDEDP



## Profile



## Standards

DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018

## Produkteigenschaften


- Material: Premium Flex Plus Kohlenstoffstahl
- geschmiedet und vergütet
- Schneiden induktiv gehärtet
- Kopf poliert
- verchromt nach Standard ISO 1456:2009
- gefertigt laut Standard ISO 5749 und EN IEC 60900

## Vorteile:

- Doppelte, zweifarbige Schutzisolierung

## Wichtig!

- Wenn die zweite Schutzisolierung erkennbar ist, muss das Werkzeug ersetzt werden



| Barcode | L   | B  | A  | C  | Weight |
|---------|-----|----|----|----|--------|
| 619195  | 180 | 28 | 11 | 20 | 303    |
| 619196  | 200 | 27 | 11 | 21 | 351    |

Schneidwerte (10N=1kg)

| Barcode | L   | max 2150 N/mm <sup>2</sup> Ø↑ | max 650 N/mm <sup>2</sup> Ø↑ |
|---------|-----|-------------------------------|------------------------------|
| 619195  | 180 | 1,8                           | 3,0                          |
| 619196  | 200 | 2,0                           | 3,5                          |

\* Bilder von Produkten sind Symbolfotos. Abmessungen sind in mm, Gewichte in Gramm.

## Häufig gestellte Fragen

**Are certified insulated tools made through a different procedure than non-certified insulated tools?**

The tools are made according to the same procedure.

**Are insulated (VDE) tools considered as personal protective equipment (PPE)?**

According to EU regulations, VDE tools are not considered as PPE.

**Is it possible to work with insulated pliers under electrical voltage?**

Yes, but only by professionals who follow safety requirements and use additional personal protective equipment.

**Are the VDE tools only being sampled in series production?**

The high voltage test (at 10kV) is performed fully on each tool. Other tests are performed in accordance with the EN60900 standard.