

Garnitura alata u SOS ulošku

964/47SOS



Profili



Atributi proizvoda

- Dimenzija uloška: 564 x 364 x 30 mm
- Za Eurostyle, Eurovision, Euromotion, Europlus i Hercules ladice za kolica (prednje ladice)

Set sadrži:

- 11x ključ nasadni, prihvat 1/4" 6-kutni, 12 kotni (artikal 188/2 12P) dim. 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- 18x vijačni nastavak 1/4"; imbus (artikal 187/2HX dim. 3, 4, 5, 6, 7), TX profil (artikal 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), križni (artikal 187/2PH dim. PH 1, PH 2), plosnati (artikal 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- 1x račna dvosmjerna, prihvat 1/4"
- pribor 1/4"; 1x T-ručka, 2x produžetak (55, 150mm), 1x kardanski zglob
- 1x odvijač s nastavkom 1/4"
- 20x ključ nasadni, prihvat 1/2" 12-kutni (artikal 190/1 12P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32
- 1x račna dvosmjerna, prihvat 1/2"
- pribor 1/2"; 1x T-ručka, 2x produžetak (125, 250mm), 1x kardanski zglob
- 4x izbijač (artikal 641/6) dim. 3, 4, 5, 6


- 1x točkalo (artikal 642/6) v dim. 5
- 2x sjekač plosnati (artikal 660/6) v dim. 150, 200









SOS ulošci za alat - prednosti:










- Materijal: polietilenska pjena niske gustoće
- SOS ulošci za alat izrađeni su od dvoslojne poliuretanske pjene, otporne na maziva, benzin, ulja, nitro razrjeđivače, ljepila i motorna ulja - sve ovo može se jednostavno ukloniti bez ikakvih vidljivih ostataka ili mrlja. Ljepila i motorna ulja moraju se odmah ukloniti čišćenjem benzinom kako bi se izbjegle trajne mrlje. Ovi ulošci za alat su otporni u uobičajenim uvjetima te ne mjenjaju oblik sve do temperature od 80 °C.
- These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

Why Choose Unior:

- Unior is a renowned brand in the industry, celebrated for its dedication to quality and innovation. With a legacy of excellence, Unior tools are crafted to meet the highest standards, ensuring reliability and outstanding performance.



Naziv proizvoda	SKU	Članak	Standardi	Količina
Garnitura alata u SOS ulošku	623988	964/47SOS	-	67
Ključ nasadni, prihvat 1/4" 6-kutni		188/2 6p	5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14	11
Ključ nasadni imbus, prihvat 1/4"		187/2HX	3, 4, 5, 6, 7	5
Ključ nasadni križni, PH, prihvat 1/4"		187/2PH	PH 1, PH 2	2
Ključ nasadni plosnati, prihvat 1/4"		187/2SL	0.8 x 4, 1,0 x 5,5, 1,2 x 7	3
Ključ nasadni TX, prihvat 1/4"		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Račna dvosmjerna, prihvat 1/4"		188.1/1ABI	1/4"	1
T-ručka, prihvat 1/4"		188.3/2	1/4"	1
Produžetak, prihvat 1/4"		188.4/2	1/4"x150, 1/4"x55	2

Naziv proizvoda	SKU	Članak	Standardi	Količina
Kardanski zglob, prihvata 1/4"		188.6/2	1/4"	1
Odvijač s nastavkom 1/4"		188.8	1/4"	1
Ključ nasadni, prihvata 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32	20
Račna dvosmjerna, prihvata 1/2"		190.1/1ABI	1/2"	1
T-ručica, prihvata 1/2"		190.3/1	1/2"	1
Produžetak za kutno stezanje, prihvata 1/2"		190.4/1S	1/2"x125, 1/2"x250	2
Zglob kardanski, prihvata 1/2"		190.6/2	1/2"	1
Izbijač		641/6	3, 4, 5, 6	4
Točkalo		642/6	5	1
Sjekač plosnati		660/6	150, 200	2
SOS uložak za garnituru alata od 60 dijelova 964/47SOS		VL964/47SOS	564x364x30	1

* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.