

# Глух ключ лула

176








## Профили







## Параметри на продукта

- материал: хром-ванадий
- ковани, изцяло закалени
- хромиран в съответствие със стандарт ISO 1456:2009




|  |  | L1    | L2 | C  | D1   | T  | L3   | D2  |  |  |
|--|---|-------|----|----|------|----|------|-----|---|---|
| 609103   | 7   | 108   | 25 | 23 | 12   | 8  | 30,5 | 5   | 47  |   |
| 609104   | 8   | 113   | 26 | 27 | 13   | 10 | 30   | 6,5 | 76  |   |
| 609105   | 9   | 118   | 27 | 29 | 14,5 | 10 | 33   | 7   | 78  |   |
| 609106   | 10  | 123   | 31 | 32 | 16   | 11 | 35   | 7,5 | 123   |   |
| 609107   | 11  | 128,5 | 32 | 31 | 17   | 12 | 37   | 7,5 | 125   |   |


|        |  |  | L1    | L2   | C    | D1   | T    | L3  | D2  |  |  |
|--------|--|---|-------|------|------|------|------|-----|-----|---|---|
| 609108 |  | 12  | 135   | 33   | 34   | 18   | 12   | 40  | 8,5 | 161   |   |
| 609109 |  | 13  | 143   | 36,5 | 40   | 19   | 14   | 47  | 9   | 186   |   |
| 609112 |  | 16  | 173   | 46,5 | 47   | 24   | 17   | 54  | 13  | 340   |   |
| 609113 |  | 17  | 184,5 | 46,5 | 49   | 25   | 18   | 56  | 13  | 360   |   |
| 609114 |  | 18  | 198   | 49   | 51,5 | 26,5 | 19,5 | 58  | 13  | 411   |   |
| 609115 |  | 19  | 204   | 52   | 52,5 | 28   | 20,5 | 62  | 14  | 445   |   |
| 609118 |  | 22  | 231   | 57   | 58   | 32   | 23,5 | 67  | 16  | 590   |   |
| 609120 |  | 24  | 249   | 64,5 | 68,5 | 34   | 25,5 | 77  | 18  | 713   |   |
| 609123 |  | 27  | 280   | 68   | 71   | 37   | 25,5 | 80  | 20  | 867   |   |
| 609126 |  | 30  | 311   | 75   | 80,5 | 42   | 28,5 | 93  | 23  | 1257  |   |
| 609127 |  | 32  | 330,5 | 79   | 82,5 | 45   | 28,5 | 95  | 24  | 1434  |   |
| 609129 |  | 36  | 376   | 80   | 86   | 50   | 30   | 100 | 25  | 2235  |   |

\* Снимките на продуктите са символични. Всички размери са в мм., теглото е в грамаве .

## Употреба (снимки)



Формата и отвора на ключа позволяват развиването на болтове с дълга резба.



Благодарение на дълбокия си профил ключа може да се ползва като вложка за гайки с дълги резби.

## Снимки (снимки)

