

Ključ nasadni, dvostrani

176





Profili






Atributi proizvoda

- materijal: Premium krom-vanadij
- kovan, u cijelosti ojačan i zakaljen
- kromirani (ISO 1456:2009)




|  |  | L1 | L2 | C | D1 | T | L3 | D2 |  |
|--|---|-------|----|----|------|----|------|-----|---|
| 609102 | 6 | 104,5 | 22 | 22 | 11 | 7 | 29 | 5 | 44 |
| 609103 | 7 | 108 | 25 | 23 | 12 | 8 | 30,5 | 5 | 47 |
| 609104 | 8 | 113 | 26 | 27 | 13 | 10 | 30 | 6,5 | 76 |
| 609105 | 9 | 118 | 27 | 29 | 14,5 | 10 | 33 | 7 | 78 |
| 609106 | 10 | 123 | 31 | 32 | 16 | 11 | 35 | 7,5 | 123 |

|  |  | L1 | L2 | C | D1 | T | L3 | D2 |  |
|--|---|-------|------|------|------|------|-----|------|---|
| 609107 | 11 | 128,5 | 32 | 31 | 17 | 12 | 37 | 7,5 | 125 |
| 609108 | 12 | 135 | 33 | 34 | 18 | 12 | 40 | 8,5 | 161 |
| 609109 | 13 | 143 | 36,5 | 40 | 19 | 14 | 47 | 9 | 186 |
| 609110 | 14 | 149,5 | 40 | 41 | 21 | 14 | 48 | 10,5 | 226 |
| 609111 | 15 | 163 | 41,5 | 43 | 22,5 | 15 | 50 | 11 | 236 |
| 609112 | 16 | 173 | 46,5 | 47 | 24 | 17 | 54 | 13 | 340 |
| 609113 | 17 | 184,5 | 46,5 | 49 | 25 | 18 | 56 | 13 | 360 |
| 609114 | 18 | 198 | 49 | 51,5 | 26,5 | 19,5 | 58 | 13 | 411 |
| 609115 | 19 | 204 | 52 | 52,5 | 28 | 20,5 | 62 | 14 | 445 |
| 609116 | 20 | 207 | 53,5 | 54,5 | 30 | 21,5 | 63 | 14 | 495 |
| 609117 | 21 | 216 | 57 | 57,5 | 30,5 | 23,5 | 65 | 15 | 487 |
| 609118 | 22 | 231 | 57 | 58 | 32 | 23,5 | 67 | 16 | 590 |
| 609119 | 23 | 238 | 62 | 64,5 | 33,5 | 24,5 | 74 | 18 | 640 |
| 609120 | 24 | 249 | 64,5 | 68,5 | 34 | 25,5 | 77 | 18 | 713 |
| 609121 | 25 | 260 | 67 | 69,5 | 36 | 25,5 | 79 | 19,5 | 703 |
| 609122 | 26 | 270,5 | 68 | 70 | 36 | 27 | 81 | 22 | 876 |
| 609123 | 27 | 280 | 68 | 71 | 37 | 25,5 | 80 | 20 | 867 |
| 609124 | 28 | 290,5 | 70 | 73,5 | 38,5 | 27,5 | 84 | 21 | 1045 |
| 609125 | 29 | 298,5 | 72 | 78,5 | 41 | 28,5 | 90 | 22 | 1140 |
| 609126 | 30 | 311 | 75 | 80,5 | 42 | 28,5 | 93 | 23 | 1257 |
| 609127 | 32 | 330,5 | 79 | 82,5 | 45 | 28,5 | 95 | 24 | 1434 |
| 609128 | 35 | 340 | 90 | 97,5 | 48 | 35,5 | 108 | 25 | 2200 |
| 609129 | 36 | 376 | 80 | 86 | 50 | 30 | 100 | 25 | 2235 |

* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

Upotreba (pictures)



Oblik i otvor ključa omogućavaju odvrtnje matica na dugim navojima.



Ključ se zbog svog dubokog profila može koristiti i kao nasadni ključ za duboke matice i navoje

Photo (pictures)

