

# 钢丝钳

406/1BI



## 配置文件




## 标准

ISO 5746

## 产品属性

- 材料:优质高碳钢
- 落锻,完全淬火与回火
- 切削刃感应淬火
- 头部抛光
- 表面处理:根据ISO 1456:2009标准镀铬
- 重型双成分材料手柄
- UNIOR激光喷码
- 根据ISO 5746标准生产






| Barcode | L   | B  | C  | A    | Weight |
|---------|-----|----|----|------|--------|
| 607870  | 160 | 24 | 35 | 9.5  | 224    |
| 607871  | 180 | 27 | 38 | 10   | 274    |
| 607872  | 200 | 29 | 41 | 10.5 | 341    |
| 608354  | 220 | 32 | 47 | 11   | 421    |

### 切割能力 (10N=1kg)

| Barcode | L   | max 1560 N/mm <sup>2</sup> Ø↑ | max 750 N/mm <sup>2</sup> Ø↑ |
|---------|-----|-------------------------------|------------------------------|
| 607870  | 160 | 1,6                           | 2,0                          |
| 607871  | 180 | 1,8                           | 2,5                          |
| 607872  | 200 | 2,0                           | 2,5                          |
| 608354  | 220 | 2,0                           | 3,0                          |

\* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.

### 用途 (pictures)



### Safety tips



- Pliers should be oiled regularly. A drop of oil at the hinge will lengthen the tool life and assure easy operation.



- Don't use pliers for cutting hardened wire, unless specifically manufactured for this purpose.
- Don't expose pliers to excessive heat. This may ruin the tool.

- When cutting wire with pliers, you should always wear glasses or goggles.
- Handles are provided for comfort. They are not intended to give user any degree of protection against electric shocks and should never be used on live electric circuits.
- Don't use pliers as a hammer.
- Don't hammer on the handles. They may crack or break.
- Don't extend the length of plier handles to secure greater leverage.
- Don't use pliers on nuts or bolts. A wrench will do a better job and with less risk of damage to the fastener.

## Frequently asked questions

**The head profile on the screw has deformed to such an extent that it cannot be unscrewed with a screwdriver. Which Unior tool can be used in this case?**

407/4DP screw pliers are the best choice for unscrewing screws with a damaged head profile.