

# Oil-filter wrench

1977/6



## Usage



## Profiles



[./ar/support/warranty.](#)


## Product features



- material: premium chrome vanadium steel
- coated with electro-black oxide finish for rust protection
- lacquered
- for assembling or disassembling oil filters
- for oil filters in restricted access area
- used with ratchet 3/8" and proper extension bar


## How to use the tool:

- This tool comes in as many as 12 sizes, which can be used on the majority of standard car and motorbike oil filters on the market. Using it is

simple as all that is needed is to place the appropriate tool on the filter and rotate it with ease. The tool can also be used when fitting oil filters as the design and material have been carefully selected so that the tool can withstand the maximum force applied to it. Because of the surface protection, the tool is highly resistant to scratches and damage as well as to atmospheric and chemical effects.



|  | D       | $360^\circ/n$ | D1   | H    |  |
|--|---------|---------------|------|------|---|
| 620949   | 27      | 6             | 37.5 | 33.5 | 68  |
| 620950   | 32      | 6             | 43.5 | 34.6 | 81  |
| 620951   | 36      | 6             | 48.4 | 34.9 | 89  |
| 619258   | 66      | 6             | 73   | 37   | 124   |
| 619259   | 65      | 14            | 70.7 | 36.8 | 129   |
| 620267   | 68      | 14            |      |      | 130   |
| 620268   | 73      | 14            |      |      | 152   |
| 619260   | 74      | 15            | 81   | 36   | 146   |
| 619261   | 75 - 77 | 15            | 81.4 | 41.8 | 165   |
| 620269   | 76      | 8             |      |      | 141   |
| 619262   | 76      | 12            | 82   | 35   | 137   |
| 620952   | 76      | 14            | 81.3 | 37   | 160   |
| 619263   | 86      | 16            | 96   | 47.2 | 201   |
| 619264   | 86      | 18            | 92   | 39.5 | 171   |
| 619265   | 96      | 18            | 102  | 36.8 | 190   |



## Retail packaging

| Barcode | MA  | MB  | MC   | Icon |
|---------|-----|-----|------|------|
| 620949  | 155 | 80  | 37,5 | 68   |
| 620950  | 155 | 80  | 34,6 | 151  |
| 620951  | 165 | 80  | 34,9 | 159  |
| 619258  | 185 | 100 | 37   | 194  |
| 619259  | 185 | 100 | 36,8 | 199  |
| 620267  | 170 | 100 | 37   | 136  |
| 620268  | 180 | 150 | 41   | 160  |
| 619260  | 185 | 150 | 36   | 216  |
| 619261  | 175 | 150 | 41,8 | 235  |
| 620269  | 180 | 150 | 37   | 150  |
| 619262  | 175 | 100 | 35   | 207  |
| 620952  | 195 | 150 | 37   | 230  |
| 619263  | 205 | 150 | 47,2 | 271  |
| 619264  | 185 | 150 | 39,5 | 241  |
| 619265  | 205 | 150 | 36,8 | 260  |

## Transport packaging

| Barcode | Hand icon | TA | TB | TC | Icon |
|---------|-----------|----|----|----|------|
| 620949  | 1         |    |    |    |      |
| 620950  | 1         |    |    |    |      |
| 620951  | 1         |    |    |    |      |
| 619258  | 1         |    |    |    |      |
| 619259  | 1         |    |    |    |      |
| 620267  | 1         |    |    |    |      |



TA

TB

TC



620268

1

619260

1

619261

1

620269

1

619262

1

620952

1

619263

1

619264

1

619265

1