

Pro repair stand with single clamp, manually adjustable

1693BS-US




프로파일



제품 특징

- 고정 플레이트가 있는 바이크 리페어 스탠드는 서비스 워크샵과 일상적인 사용을 위해 설계되었습니다.
- 고정 플레이트는 인체 공학적으로 설계되었습니다. 최대 적재 용량은 30kg으로 더 무거운 자전거도 수리할 수 있습니다.
- 최소 Ø24 mm 및 최대 Ø40mm 직경의 튜브에 적합합니다.
- 스탠드 무게는 36kg입니다.
- 교체 가능한 고무 쇼 커버 (1693.11)



Barcode	Weight	Height	Width	Depth	Height	Weight
625013	985	1570	726	572	1700	38800

* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.


사용법 (사진)




Adjust bike stand height? To adjust the bike stand height, release the lever (C) and adjust the top tube (D).



Adjust jaw angle and clamp bike safely? To adjust the bike stand jaw angle, release lever (F) and adjust/rotate (E).



Adjust opened jaw (G) to the seatpost or bike tube. Turn handle (H) until jaw firmly grabs the tube.



To adjust the jaw opening, turn the long screw (Z) with hand in needed direction as shown on picture.



Release bike safely from stand? To release, firmly hold bike frame. Flip handle (I) to quickly release tube from the jaw.



To mount the stand without fixed plate to the floor or ceiling, use appropriate screw anchors and screws (P) according to the floor/ceiling material, as shown on picture. Screws and screw anchors are not included.

스페어 파트



1693.1 클램프 교체용 고무 커버, 2개 세트



QR Lever for 1693A, 1693B, 1693C, 1693R, 1693RP



Bushing for repair stands for 1693A, 1693B, 1693C, 1693R, 1693RP, 2pcs set