

Otočné zvieracie čeluste pre upevnenie na pracovný stôl alebo stenu

1693.2-US




Profiles



Product features

- Možnosť upevniť na pracovný stôl alebo stenu.
- Navrhnuté pre profesionálne aj domáce dielne.

- Stoja je navrhnutý pre uchytenie trubiek priemeru 24-32 mm.
- Ľahko prístupná skrutka umožňuje upraviť čeľuste a tlak pri zovretí. Skrutku je možné otočiť ručne bez použitia akéhokoľvek kľúča.




	D↓	D↑	B	A	H	
--	----	----	---	---	---	--


625020 24 32 120 239 313 4600

* Obrázky sú symbolické. Všetky rozmery sú v mm, hmotnosť je v g. Všetky udané rozmery sa môžu lísiť v rámci tolerancie.


Usage (pictures)



Mount stand on wooden bench? To mount the stand on a wooden bench, prepare the holes with drill size 6 mm and use the attached screws (O) as shown on picture.



Mount stand on wall? To mount the stand to the wall, prepare the holes with drill size 10 mm and use attached screw anchors and screws (R).



Adjust jaw angle and clamp bike safely? To adjust the bike stand jaw angle, release lever (S) and adjust/rotate (T).



Adjust opened jaw (U) to seatpost or bike tube. Turn handle (V) until jaw firmly grabs the tube.



Release bike from stand? To release, firmly hold bike frame. Flip handle (Y) to quickly release tube from the jaw.

Spare parts



Vymeniteľné gumené kryty na svorku, okrúhle, sada 2 ks

Related products



Nástenné a stolové čeľuste s nastaviteľnou maticou