


Geperforeerde achterwand - module C9

990MC9



Profielen



Product attributen

Unior Perforated Back panel with light and parapet channel

- Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- materiaal: hoogwaardig PLUS plaatstaal
- Eco color of Qualicoat quality standard
- basic dimensions of perforated back L 1500 x H 1155mm

- The shelf with holders extends across the entire width of the workbench and is securely mounted to the columns. It can be adjusted to various heights and positioned at two angles: perpendicular to the perforated back or at a 12-degree incline. The shelf has a load capacity of 50 kg.
- The 1.5m wide holder for storage bins provides storage space across the entire width of the workbench, featuring rear mounting for the bins.
- LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- Parapet channel compatible with OBO STD-D0 Modul 45 plugs

Productnaam	SKU	Artikel	Afmetingen	Hoeveelheid
Geperforeerde achterwand - module C9	625759	990MC9	1,5 m	13
Stijl Links		990SL	32x45x1155	1
Stijl Rechts		990SR	32x45x1155	1
Geperforeerde achterwand - set 2 stuks		990B	1436x1018	1
Legbord met dragers		990SHELF	1500	1
Kanaal voor kabeldoorvoer		990HPC	1467x53x131	1
Houder voor plastic bakjes		990HPB	1500	1
Kunststof box, 3-delig		PB.990HPB	235x155x125 (3x)	3
Houder voor licht		990HL	1467	1
Licht		990LIGHT	1200	1
Hakenset, 10 stuks		997.1	50 (2x)	2

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm, en het gewicht in grammen. Alle vermelde afmetingen kunnen variëren in tolerantie.