Πλαγιοκόφτης βαρέως τύπου με χειρολαβή βαθειάς μόνωσης

466/1BI




Προφίλ

Πρότυπα

DIN ISO 5749

Χαρακτηριστικά προϊόντος

- υλικό: ειδική σύνθεση σκληρυμένη με θερμική επεξεργασία
- εξολοκλήρου σκληρυμένη με θερμική επεξεργασία
- κοπτήρες ηλεκτρολυτικά σκληρυμένοι
- γυαλισμένη κεφαλή
- φινίρισμα επιφάνειας: επιχρωμιωμένη σύμφωνα με ISO 1456:2009
- χειρολαβές βαρέως τύπου δυο συστατικών
- κατασκευασμένο σύμφωνα με τα πρότυπα ISO 5749



	L	B	A	C	
608850	180	28	11	20	313
608837	200	27	11	21	344

Δυνατότητα κοπής(10N=1Kg)

	L	max 2150 N/mm² ØT	max 750 N/mm² ØT
608850	180	1,8	3,0
608837	200	2,0	3,5

* Οι εικόνες των προϊόντων είναι συμβολικές. Ολες οι διαστάσεις είναι σε mm,το βάρος είναι σε γραμμάρια. Όλες οι αναφερόμενες διαστάσεις μπορεί να διαφέρουν σε ανοχές.

Συχνές ερωτήσεις

What does it mean that the pliers are quenched and tempered and the head parts/teeth of the pliers are inductively hardened?
It means that the pliers are thermally processed by quenching and tempering their entire surface to a hardness of about 45HRc, while head parts are additionally inductively hardened to a hardness of at least 60HRc.

What is meant by the statement that pliers are made in accordance with the stated ISO standard?
It means that the pliers are in accordance with the international standard in terms of dimensions, strength and structure, and compliance is determined by prescribed tests.