

# Combinatietang, elektronica

406/4E




## Profielen



## Product attributen

- materiaal: premium flex plus carbonstaal
- gesmeed, volledig gehard en getemperd
- snijkanten inductief gehard
- dubbel-component handvaten voor zeer intensief gebruik





L

B

C

A



620069

120

13.6

15.8

8.2

90

knipcapaciteit (10N=1kg)



L

max 750 N/mm<sup>2</sup>Ø†

620069

120

1,5

\* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.

Gebruik (Afbeeldingen)



Foto (Afbeeldingen)





## Veiligheidstips



- Pliers should be oiled regularly. A drop of oil at the hinge will lengthen the tool life and assure easy operation.
- When cutting wire with pliers, you should always wear glasses or goggles.
- Handles are provided for comfort. They are not intended to give user any degree of protection against electric shocks and should never be used on live electric circuits.



- Don't use pliers for cutting hardened wire, unless specifically manufactured for this purpose.
- Don't expose pliers to excessive heat. This may ruin the tool.
- Don't use pliers as a hammer.
- Don't hammer on the handles. They may crack or break.
- Don't extend the length of plier handles to secure greater leverage.
- Don't use pliers on nuts or bolts. A wrench will do a better job and with less risk of damage to the fastener.