

# Ključ moment, elektronski

266



## Profili

---



## Atributi proizvoda

- Signal upozorenja: zvuk + 12 LED lampica
- Način rada: granična vrijednost momenta/moment
- Mjerne jedinice: N-m, in-lb, ft-lb, kg-cm
- Tip glave: izmjenjiva glava
- broj zubiju račne: 52
- Baterije: AA x 2 komada (nisu priložene)
- Radni vijek baterija: 110 sati
- Rad baterija u stanju mirovanja godinu dana

- Memorija: 250 mjerenja
- Može se podesiti 10 momenata
- Radna temperatura: -10°C ~ 60°C
- Temperatura skladištenja: -20°C ~ 70°C
- Vlažnost: do 90% bez kondenzacije
- Test na slobodan pad: 1 m
- Test na vibracije: 10G
- Certifikat elektromagnetne kompatibilnosti
- Točnost: CW: +/-2%, CCW: +/-3%
- Mogućnost povezivanja s računalom
- Download data transfer program  
([https://www.uniortools.com/res/files/assets/Uploads/266\\_calibration\\_program.zip](https://www.uniortools.com/res/files/assets/Uploads/266_calibration_program.zip))

## Warranty

- Garancija: 10.000 mjerenja / godinu dana



			L	axb	
627575	1/4"	1,5 - 30	390	9 x 12	1395
627576	1/2"	6,8 - 135	410	9 x 12	1619
627577	1/2"	10 - 200	545	14 x 18	2268

\* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

## upotreba (pictures)



## Photo (pictures)



## Accessories



Nastavak s račnom za moment ključ 266



Nastavak univerzalni za moment ključ 266



Nastavak za okasti ključ, otvoreni za moment ključ 266

## Safety tips



- Only an authorised person in a certificated service centre can perform technical maintenance.
- Tools should always be serviced and calibrated by a certified service engineer.
- Tool should only be used for precise tightening as specified in the instruction manual.
- Check instruction manual on how to read the value scale on the tool properly.
- Stop tightening after hearing a feedback from the tool.
- Use only sockets with the same square drive.
- Always return the value on the scale back to 0 after usage and before storing.

## Safety (pictures)

