

# MX Pro Kit tool set

3700MX PROKIT



## Profili

---










## Atributi proizvoda


























- Kućište alata MX Pro Kit u stvarnom je svijetu dizajnirano i testirano od strane profesionalaca na najtežim terenskim stazama širom svijeta.
- Dobro osmišljene, izuzetno izdržljive palete alata organiziraju i drže vaše alate na mjestu. Džepovi su dizajnirani s obzirom na veličinu naših alata. Takođe ima dodatni prostor na dnu, ostavljajući vam prostor za personalizaciju vašeg kompleta.
- Nakon dizajniranja kućišta alata za Pro Kit, sjeli smo s timskim mehaničarima i pažljivo odabrali set alata koji će zahtjevni MX mehaničar cijeniti. Odabrali smo 107 komada našeg alata koji se savršeno uklapaju u prijenosni set, trgovinu ili dom.
- Set sadrži širok spektar alata za servisiranje MX motocikala na terenu.

- The toolbox is designed especially use in the field; it's made of heavy duty plastic and is waterproof and dustproof.
- Flaps in the lid can be closed tightly with the Velcro straps; when closed, they also secure the tools in place. The biggest pockets can take our combinations and socket T-handle wrenches. A special small pockets can securely hold the screwdrivers and other tools, so nothing ever gets lost.
- basic dimensions of case L 555 x W 428 x H 211mm
- inner dimensions of case L 500 x W 350 x H 194mm
- total volume of case: 33,95 litres
- Additional SOS foam tray for tools storage (dimensions 470 mm x 170 mm) at the bottom of the case.

#### Prednosti:

- All together 35 pockets
- Džepovi su ušiveni s izdržljivom najlonskom niti
- Slučaj je otporan na vodu i prašinu u skladu s IP67 certifikatom
- Na rubu poklopca nalazi se vodonepropusna britva
- Ventil za automatsko smanjenje pritiska zraka
- Easy to open/close double throw latches
- Moćna ručka s mekom gumom
- Čvrsta kućišta
- Najlonske igle, nehrđajuće
- Option to lock the case with a padlock (not included)
- Aluminijski distributer u kućištu donjeg kućišta za jednostavnu organizaciju alata
- Stranice su presavijene u poklopac kutije alata

| Ime proizvoda                             | SKU   | Članak           | Dimenzije   | Količina |
|---|---|------------------|---|----------|
| MX Pro Kit tool set                       | 628977  | 3700MX<br>PROKIT |   | 107      |
| Ključ viljuškasto-okasti kratki           |  | 125/1            | 6, 8, 10, 12, 13, 14, 16, 17,<br>19, 21, 22, 27, 30, 32 | 14       |
| Ključ nasadni za svjećice, 3/8", 12-kutni |  | 186.4/2A         | 14  | 1        |
| Račna dvosmjerna 1/4"                     |  | 188.1/1ABI       | 1/4"  | 1        |
| T-ručka 1/4"                              |  | 188.3/2          | 1/4"  | 1        |
| Produžetak 1/4"                           |  | 188.4/2          | 1/4"x55, 1/4"x150                                       | 2        |
| Kardanski zglob 1/4"                      |  | 188.6/2          | 1/4"  | 1        |
| Ključ nasadni 1/4"                        |  | 188/2 6p         | 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10,<br>11, 13, 12, 14       | 13       |

| Ime proizvoda   | SKU   | Članak      | Dimenzije  | Količina |
|---|---|-------------|--|----------|
| Račna dvosmjerna 1/2"                                       |    | 190.1/1ABI  | 1/2"   | 1        |
| T-ručica 1/2"   |    | 190.3/1     | 1/2"   | 1        |
| Produžetak 1/2"   |    | 190.4/1     | 1/2"x125, 1/2"x250   | 2        |
| Zglob kardanski 1/2"  |    | 190.6/2     | 1/2"   | 1        |
| Adapter 1/2"  |    | 190.7/2     | 1/2"x3/8"  | 1        |
| Ključ nasadni, priхват 1/2"                                 |    | 190/1 6p    | 10, 11, 12, 13, 14, 15, 17, 19,<br>22, 24, 27, 30, 32                          | 13       |
| Ključ nasadni, imbus, 1/2"                                  |    | 192/2HX     | 6, 7, 8, 10, 12, 14, 17  | 7        |
| Ključ nasadni s T-ručkom                                    |    | 193N        | 6, 8, 10   | 3        |
| Ključ Torx, s T-ručicom                                     |    | 193TX       | TX 15, TX 20, TX 25, TX 30   | 4        |
| Ključ nasadni TORX, dugi, 1/2"                              |    | 192/2TXL    | TX 45  | 1        |
| Ključevi imbus s kuglom, dugi, na plastičnom stalku         |    | 220/3SLPH   |  | 1        |
| Ključevi imbus s TX profilom i rupicom na plastičnom stalku |   | 220/7TXPH   | TR8 - TR40x9   | 1        |
| Montirač guma   |    | 300/2       | 500 (3x)   | 3        |
| Kliješta za rezanje žice, kosa                              |    | 461/1BI     | 140  | 1        |
| Kliješta univerzalna paralelna                              |  | 449/1PYTHON | 240  | 1        |
| Kliješta poluokrugla  |  | 506/1BI     | 140  | 1        |
| Kliješta za sigurnosno zavarivanje žice                     |  | 516/4       | 213  | 1        |
| Skalpel   |  | 556A        | 160x18   | 1        |
| Izvijač plosnati TBI  |  | 605TBI      | 0.5 x 3.0x80, 0.8 x 4.0x100,<br>1.0 x 5.5x125, 1.2 x 6.5x100,<br>1.2 x 8.0x175 | 5        |
| Izvijač križni (PH) TBI                                     |  | 615TBI      | PH 1x80, PH 2x100  | 2        |
| Mjerna traka  |  | 710R        | 2 m  | 1        |
| Čekić plastični   |  | 820A        | 22   | 1        |
| Alat za ventil gume   |  | 2042/2      | 115  | 1        |
| Ključ za žbice motocikala                                   |  | 3301/2      | 5x6x6,3x7, 5,4x5,6x6,5x6,8   | 2        |
| Kliješta za spojnicu lanca motocikla                        |  | 3202/1P     |  | 1        |
| T-ključ za opruge   |  | 3600/2BI    | 4,2  | 1        |

\* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

## Upotreba (pictures)



## Photo (pictures)



