

Puller with two sliding arms

681/2



Profiles




Product features

- material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: trivalent chrome plated according to ISO 1456:2009, screw blackened

Advantages:


- by reversing the arms, the puller can be used as internal or external puller
- sturdy design for very heavy duty work



| | Nο | В | D1 | D2 | L₹ | F _{max} | ltmax | М | S | |
|--------|-----|-----|-----------|-----------|-----|------------------|-------|----------|----|------|
| 601765 | 300 | 280 | 70 - 220 | 110 - 260 | 150 | 65 | 6.5 | M 20 x 2 | 22 | 3355 |
| 601766 | 400 | 450 | 110 - 360 | 190 - 450 | 200 | 110 | 11 | M 22 x 2 | 32 | 8725 |

^{*} Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

Usage (pictures)





Spare parts

Arm

Spindle

Related products



Puller with two adjustable arms




Puller with two sliding arms



Puller with three adjustable arms

Safety (pictures)



Frequently asked questions

One arm broke. Do I have to replace all the arms or just the broken one? It is necessary to change all the arms.