


# Tool set VDE in tool case
























971/2VDE



## Profiles



Product name	SKU	Article	Dimensions	Quantity
Tool set VDE in tool case	608541	971/2VDE	-	52
Open end wrench		110/1	6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32	12

Product name	SKU	Article	Dimensions	Quantity
Ball-end hex wrench		220/3S	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	9
Adjustable wrench		250/1	200	1
Combination pliers		406/1VDEBI	160	1
Crimping pliers		425/4AB	1.5 - 6x240	1
Insulated waterpump box joint pliers		447/1VDEBI	240	1
Heavy duty diagonal cutting nippers		466/1VDEBI	180	1
Wire stripping pliers		478/1VDEBI	160	1
Long nose pliers with side cutter and pipe grip, straight		508/1VDEBI	170	1
Long nose pliers with side cutter and pipe grip, bent		512/1VDEBI	170	1
Multifunctional electrician`s pliers		514/1BI	160	1
Cable shears		580/1VDEBI	230	1
Electrician`s screwdriver with insulated blade, VDE TBI		603VDETBI	0.4 x 2.5x75, 0.5 x 3.0x100, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175	6
Crosstip (PH) screwdriver with insulated blade, VDE TBI		613VDETBI	PH0x60, PH1x80, PH2x100	3
Phase tester 220 - 250 V		630VDE	0.5 x 3.0x140, 0.6 x 3.5x180	2
Pin punch		641/6	5	1
Flat chisel		660/6	150	1
Electrician`s chisel		665/6A	250x12	1
Measuring tape		710P	3 m	1
Hacksaw		750B	400	1
Flat file with handle, bastard		760HB	200	1
Half-round file with handle, bastard		761HB	200	1
Locksmiths` hammer		812	300	1
Club hammer		817	1000	1
Plastic hammer		820	40	1
Tool case		969S	500x420x200	1

\* Images of products are symbolic. All dimensions are in mm, and weight is in grams. All listed dimensions may vary in tolerance.

